

Cruiser



Technical Information 2014

Concorde
REISEMOBILE AUS LEIDENSCHAFT

Standard equipment

CHASSIS

	IVECO Daily	IVECO Eurocargo 75E18
Turbo-diesel engine with rear-wheel drive and twin tyres	•	•
Electronically controlled common-rail direct injection	•	-
Engine variant Euro 5, engine capacity 3.0 l, 125 kW / 170 bhp, torque 400 Nm	•	-
Engine variant Euro 5, engine capacity 3.9 l, 132 kW / 180 bhp, torque 570 Nm	-	•
6-speed manual gearbox	•	•
Traction control system (TCS)	•	•
Tyres	225/75R16	225/75R17.5
Rear-axle tyres with traction profile (M+S label)	•	•
Disc brakes on front and rear axle	•	•
Dual-circuit air brake	-	•
Electronically controlled anti-lock braking system (ABS)	•	•
Engine brake	-	•
Cruise control	•	•
Alternator 14 V, 140 A or 28 V, 70 A	•	•
Additional alternator 14 V, 80 A to charge the onboard battery while driving	-	•
Fuel tank	90 l	115 l
Air conditioning in driver's compartment	•	•
LED tail lights at the rear	•	•
Exterior mirrors with wide angle, electrically heated and adjustable	•	•
Iveco High Line Control (operating status display with computer)	-	•
Electric windows on driver and passenger side, driver's compartment central locking	•	•
Steering wheel with adjustable height and tilt (height only for Daily)	•	•
Warning triangle, first-aid kit, warning light and chock	•	•
Fine wood look	•	•

Standard equipment

BODY

CRUISER

Double-glazed, tinted plastic windows in living area, hinged or sliding, with pleated blackout blind and fly screen	•
High-strength, durable aluminium composite construction Solidtherm	•
Thermal-bridge-free, fully insulated wall-joint technology using high-density solid PU profiles	•
40 mm wall thickness, of which 38 mm closed-cell RTM hard foam	•
Walls, roof and underfloor inside and outside in high-quality aluminium in sandwich construction	•
Exterior sheet smooth, stove enamelled white	•
Fully accessible roof	•
Aluminium roof profile strips	•
Side skirts made of high-strength, corrosion-free and rot-resistant fibreglass composite material	•
Rear wall made of fibreglass composite sandwich with PU foam core	•
Rear bumper made of fibreglass composite material, separately removable (not for G models)	•
Heated raised floor with height of approx. 350 mm, accessible from the side via outer flap	•
Heavy duty rollers on rear	•
Storage compartment flaps with cast aluminium hinges and low-maintenance, high-quality needle felt on the inside, thermally separated frame	•
Sandwich underfloor and sandwich intermediate floor each with 40 mm or 30 mm thick RTM foam, floor insulation 70 mm in total	•
Rear-axle wheel arches in fully insulated sandwich construction	•
Illuminated rear garage with garage doors left and right, lashing system and 230 V socket	•
Illuminated internal entry step, heated	•
External, electrically extendible entry step with safety circuit and lighting	•
"Security Plus" entrance door with combination security lock and emergency key switch, "Interstop" door lock	•
Fly screen for entrance door	•
External light with safety circuit (automatic shut-off when engine is started)	•
Comfortable driver's seat in original Iveco fabric, passenger's seat with 2-way adjustment	•
Low-maintenance, durable, reinforced PVC garage flooring	•

Standard equipment

LIVING ROOM / SLEEPING AREA

CRUISER

Furniture flaps and doors in Cherry Finition (veneered on both sides)	•
Wall and ceiling cladding with colour-coordinated carpeting	•
Soft-walk flooring. Colour: antia anthracite	•
Ergonomically-shaped seating group. High-quality microfibre upholstery with zippers	•
Original upholstered driver's compartment seats from the chassis manufacturer in manufacturer's colour	•
High-quality Roman blinds	•
Wardrobe with lighting	•
Rear bed with sprung base, adjustable headrest and comfortable cold foam mattress	•
Insulated sliding door to the driver's compartment, lockable from the living room	•
Double-glazed panoramic skylight with light in living room, fly screen and pleated blackout blind	•
Mini-Heki with fly screen and pleated blackout blind in sleeping area	•
High-quality living-room table	•
TV sideboard in entrance area	•
Display cabinet in entrance area with mineral material shelves incl. a range of suitable glasses, with LED lighting	•
Light canopies with LED spotlights and indirect lighting	•
Sturdy metal handle for boarding assistance	•
12 V socket and 230 V sockets	•

Standard equipment

ALCOVES

	CRUISER Iveco Daily	CRUISER Iveco Eurocargo
Sleeping area (in mm)	2100 x 1480	2100 x 1550
Height above bed (in mm)	670	700
Sprung alcove bed with comfortable cold foam mattress	•	•
Double glazed hinged windows on the right and left, with fly screen and pleated blackout blind	•	•
Mini-Heki with fly screen and pleated blackout blind	•	•
Storage console with LED spotlights on driver's side	•	•
Curtain to separate from living area (alcoves)	•	•
Ladder, fall protection with bayonet fasteners	•	•

KITCHEN

	CRUISER
Kitchen area with splash guard	•
Corisan kitchen worktop with seamlessly moulded-in sink	•
Stainless-steel three-flame hob with automatic ignition and glass cover	•
Chrome towel holder on kitchen worktop	•
Single-lever chrome mixer tap with pull-out sprinkler head	•
160 l refrigerator with separate freezer compartment, AES (automatic and manual energy selection 12 V / 230 V / gas)	•
Drawers with Servo-Soft closing	•
Integrated cutlery tray	•
Roof fan with ventilation function	•
Light canopies with LED spotlights and indirect lighting	•
LED spotlights under the wall cupboards	•
Integrated waste system in kitchen base unit	•
2 x 230 V sockets	•

Standard equipment

BATHROOM / TOILET

CRUISER

Corisan washstand panel	•
Pull-out chrome bathroom tap on washstand	•
Separate shower with acrylic glass doors incl. removable clothes rail	•
Shower fitting with wall bar and height-adjustable shower	•
Cassette toilet with porcelain bowl	•
Bathroom equipment with toilet paper holder, toilet brush, liquid soap dispenser, towel hook and rail, toothbrush glasses	•
Toilet window (only models with premium bathroom)	•
Mini-Heki with fly screen and pleated blackout blind	•
Lighting with LED spotlights	•
Wardrobe with full-length mirror inside door and lighting (only models with premium bathroom)	•
Spacious mirror wardrobe with shelves	•
230 V socket	•

WATER / GAS / HEATING

Gas bottle compartment for 2 x 11 kg gas bottles	•
"Duocontrol" gas regulator with crash sensor and automatic bottle switching	•
Household siphons	•
Fresh-water and waste-water tank in heated raised floor, each approx. 230 l	•
Convenient waste-water-tank draining via drainage cock in heated raised floor	•
Top-mounted cleaning opening for all tanks, accessible from living area	•
Waste-water drain hose with quick lock and closing caps	•
Automatic, central pressurised water pump with filter system	•
Alde 5500 W hot-water and gas central heating with thermostatic control and timer, 230 V electric heating element, 3000 W, duct shut-off with integrated hot water boiler to supply all tapping points	•
Thermostatically controlled heating system in sleeping area / garage	•
2-zone underfloor heating, separately adjustable	•
3-zone room heating, separately adjustable (living room, bathroom, sleeping area)	•
Heated towel rail in bathroom with room thermostat	•
Engine heat exchanger which uses the engine coolant to heat the living area	•

Standard equipment

ELECTRICAL / TV / RADIO

CRUISER

Gel battery 1 x 165 Ah	•
Battery monitoring system with deep discharge protection	•
230 V CEE connection in storage space with cable routing through vehicle floor	•
Automatic residual current circuit-breaker	•
Automatic charging with electronic control and battery temperature sensor, maximum charging current 25 A	•
Inverter from 12 V to 230 V sine 350 W with mains priority circuit	•
Disconnection of on-board electrics when capacity limit is reached, with automatic reconnection	•
230 V socket in garage	•
CD radio in driver's compartment with USB interface (MP3 compatible), speaker in driver's compartment and living room	•
LED lighting in interior	•
Service-friendly access to on-board electronics with perforated plate housing (not G models) in rear garage (in external storage compartment on the right for G models)	•
Automatic refrigerator switching from 12 V to gas / 230 V when engine is switched off (with land connection)	•
Automatic charging of living-room and vehicle battery, charge maintenance during connection of external power and while driving	•
Cut-out switch for living-room batteries	•
Automatic connection and disconnection of living-room and vehicle battery	•

Standard equipment

ON-BOARD ELECTRONICS

CRUISER

Ultra-modern, micro-processor-controlled on-board electronics with BUS (Binary Unit System) technology	•
Central control panel with 7" touch-screen colour display	•
Master switch for all consumers	•

Buttons to switch the following devices on and off:

• Panel	•
• Lighting	•
• Water pump	•
• Heating	•

LCD display to monitor:

• Fresh water tank (fill level in %)	•
• Waste water tank (fill level in %)	•
• Battery voltage of the vehicle battery and living-room battery	•
• Outdoor and indoor temperature	•
• External power supply	•
• Gas level (only in combination with gas tank)	•
• Battery parallel circuit	•
• Date and time with alarm function	•


Alarm systems for:

• Waste water tank full	•
• Fresh water tank empty	•
• Battery undervoltage	•
• Reserve gas bottle in operation	•
• Extended step	•


Battery computer:

• Body battery capacity indicator	•
• Charging and discharging current	•



Technical specifications



Seating group
Iveco Daily



Seating group overview
Iveco Eurocargo




CRUISER 891 L/LR

CRUISER 840 H/HR



Base vehicle	Iveco Daily	Iveco Eurocargo
Chassis type	65C17	75E18
Engine	4 cylinder	4 cylinder
Engine capacity	3.0 l	3.9 l
Output	125 kW (170 bhp)	132 kW (180 bhp)
Torque	400 Nm	570 Nm
Overall length (mm)	8940	8320
Overall width (mm)	2330	2490
Overall height (mm)	3540	3710
Wheelbase (mm)	4750	4185
Maximum permitted laden mass (kg)	6500	7490
Mass in roadworthy condition (kg)	4950	6350
Payload (kg)	1550	1140
Towbar load in kg	3500	3500
Seats with three-point seatbelt ¹	4	4
Seating group left (mm)	2000	2000
Bench seat right (mm)	1220	1340
Rear bed (mm)	2 x 2000 / 845	2008 / 1480
Alcove bed dimensions (mm)	2100 / 1480	2100 / 1550
Height above alcove mattress (mm)	670	700
Garage door right H / W (mm)	1250 / 1150	1250 / 1150
Garage door left H / W (mm)	1250 / 800	1250 / 800

¹ For all R floor plans 3 x three-point seatbelt and 1 x lap belt facing backwards. For more information on dimensions and weights, see page 15.

Technical specifications



Seating group overview
Iveco Eurocargo



CRUISER 890 L/LR

CRUISER 891 M/MR

Base vehicle	Iveco Eurocargo	Iveco Eurocargo
Chassis type	75E18	75E18
Engine	4 cylinder	4 cylinder
Engine capacity	3.9 l	3.9 l
Output	132 kW (180 bhp)	132 kW (180 bhp)
Torque	570 Nm	570 Nm
Overall length (mm)	8820	8820
Overall width (mm)	2490	2490
Overall height (mm)	3710	3710
Wheelbase (mm)	4455	4455
Maximum permitted laden mass (kg)	7490	7490
Mass in roadworthy condition (kg)	6480	6480
Payload (kg)	1010	1010
Towbar load in kg	3500	3500
Seats with three-point seatbelt ¹	4	4
Seating group left (mm)	2000	2000
Bench seat right (mm)	1340	1340
Rear bed (mm)	2 x 2000 / 845	2000 / 1570
Alcove bed dimensions (mm)	2100 / 1550	2100 / 1550
Height above alcove mattress (mm)	700	700
Garage door right H / W (mm)	1250 / 1150	1250 / 1150
Garage door left H / W (mm)	1250 / 800	1250 / 800

¹ For all R floor plans 3 x three-point seatbelt and 1 x lap belt facing backwards. For more information on dimensions and weights, see page 15.

Optional extras chassis

CHASSIS IVECO DAILY

	ADDITIONAL WEIGHT in kg
Chassis package 65 C	
Load increase of 6700 kg maximum permissible laden weight	40
Differential lock for rear axle	
Original Iveco pneumatic suspension rear axle with "raise and lower" function	
Chassis package 70 C	
Load increase of 7200 kg maximum permissible laden weight	40
Differential lock for rear axle	
Original Iveco pneumatic suspension rear axle with "raise and lower" function (only in conjunction with chassis variant 70 C)	
Chassis variant Iveco Daily 70 C (7000 kg maximum permissible laden weight)	30
Iveco Daily C 21 Euro 5, engine capacity 3.0 l, 151/205 kW/bhp, torque 470 Nm (only available with manual gearbox)	30
Towbar coupling with 3500 kg towbar load (Agile 2500 kg) (only available factory-fitted)	29
Stainless steel hub caps	5
Automatic Agile 6-speed manual gearbox incl. hill-start assist (towbar load 2500 kg)	20
Differential lock for rear axle	15
Hydraulic stabiliser jack system with automatic levelling	100
Original Iveco pneumatic suspension rear axle with "raise and lower" function	25
Pneumatic suspension rear axle with "raise and lower" function	25
Front bumper to match colour of driver's compartment	4
16" alloy wheels front axle, with wheel spacer / wheel trims rear axle (spare wheel with steel rims)	-3
Luxury driver's and passenger's seats with armrests, in original Iveco fabric, hydraulic suspension, with seat heating	20

CHASSIS IVECO EURO CARGO

Towbar coupling with 3500 kg towbar load (only available factory-fitted)	29
Stainless steel hub caps	8
Automatic Eurotronic 6-speed transmission system	20
Differential lock for rear axle	15
Hydraulic stabiliser jack system with automatic levelling	139
Pneumatic suspension rear axle with "raise and lower" function	25
Front bumper to match colour of driver's compartment	4
Luxury driver's and passenger's seats with armrests, in original Iveco fabric, hydraulic suspension, with seat heating	20
Fuel tank 180 l	65

Optional extras body

BODY

ADDITIONAL WEIGHT

in kg

1 x lap belt in bench seat facing backwards (incl. 5-person approval, only with R seating group)	5
2 x lap belts in bench seat facing backwards (incl. 6-person approval, only with standard seating group)	30
White, powder-coated aluminium roof rails	15
Rear ladder incl. hook ladder and rear ladder cover	11
Side wall awning 5.5 m, with crank (Daily)	54
Side wall awning 5.5 m, electric (Daily)	58
Roof awning 5.5 m, with crank (840 H / HR)	54
Roof awning 5.5 m, electric (840 H / HR)	58
Roof awning 6.0 m, with crank (890 L / LR, 891 M / MR)	62
Roof awning 6.0 m, electric (890 L / LR, 891 M / MR)	66
"Security Plus" body door without combination lock, including remote control and Interstop (instead of standard body door)	0
Rear garage floor with aluminium ribbed plate covering	20

LIVING ROOM / SLEEPING AREA

Midi-Heki instead of Mini-Heki (sleeping area)	6
Panorama skylight instead of Mini-Heki (sleeping area)	19
Height-adjustable table with padding (only circular seating group)	8

Optional extras body

KITCHEN

	ADDITIONAL WEIGHT in kg
Mineral kitchen worktop and washstand with seamlessly moulded-in sink. Colour: beige (sanded sahara)	15
Fridge 190 l instead of 160 l standard fridge	6
Fridge 190 l / oven combination with grill instead of 160 l standard fridge	18
Stainless-steel microwave with grill function under hob, 230 V operation via external connection, 26 l oven (not in conjunction with dishwasher)	22
Dishwasher under hob (not in conjunction with microwave)	25

ELECTRICAL

Electrical power package 1	
1 x additional gel battery 165 Ah (total of 2 batteries) 100 A combination charger with mains power pre-selection, sinus inverter from 12 V to 230 V, 4000 W peak and 2000 W continuous output with mains failure compensation	68
Electrical power package 2	
2 x additional gel batteries 165 Ah (total of 3 batteries) 100 A combination charger with mains power pre-selection, sinus inverter from 12 V to 230 V, 5000 W peak and 2500 W continuous output with mains failure compensation	120
Alarm system with monitoring of the interior, the garage door and of the living-room door	3
Built-in 2600 W gas generator (only in conjunction with gas tank)	50
Dual rear-view camera with shutter (image via standard radio)	4
Solar unit with approx. 120 W maximum output	15
Solar unit with approx. 2 x 120 W maximum output	30

Optional extras body

TV / RADIO / TELEPHONE

ADDITIONAL WEIGHT
in kg

Satellite TV set with 85 cm dish, fully-automatic alignment, multi-user equipment with TWIN LNB, connection for second receiver with 12 V / 230 V and antenna socket in sleeping area, sound playback via radio (overall vehicle height plus approx. 100 mm)	
Satellite TV set 1 with 24" LED flat screen in entrance area	38
Internet satellite TV set with 24" LED flat screen in entrance area, system with TV reception function, GPS SKEW and Internet access	38
22" LED flat-screen for rear sleeping area	15
Navigation system (with lorry software and 6.2" touch screen, integrated radio with DVD, CD and MP3 playback, handsfree set for telephone with Bluetooth) and dual reversing camera with shutter	4
Combination 230 V / 12 V / antenna / socket with floor inlet, position: in external storage compartment on the left next to body door (for optional external TV connection) (sat. output)	1
DVB-T antenna for reception of terrestrial digital TV	2
Radio in body with CD, DVD and MP3 playback, sound system with subwoofer and additional speaker	15

WATER / GAS / HEATING / BATHROOM

Outdoor shower in the garage (driver's side)	2
"Motor Caravan" diesel block heater with convenient permanent heating function (5200 W) incl. timer	10
Fresh-water tank approx. 320 l (instead of approx. 230 l)	8
Fresh-water tank and waste-water tank each approx. 320 l (instead of approx. 230 l)	16
Gas alarm for living-room monitoring (carbon monoxide, propane, butane, paralysing gas, KO-gas)	2
Approx. 120 l gas tank with remote gas switch, crash sensor and level indicator on control panel display, incl. skirting-panel flap	104
Gas outer wall socket on passenger side (gas extraction)	1
Roof air-conditioning 2400 W with 1700 W heating element (overall vehicle height plus 100 mm)	34
2400 W air conditioning for living room with infrared remote control (fitted in raised floor)	37
Porcelain toilet with approx. 230 l fixed tank	15

Optional extras body

UPHOLSTERY / LEATHER / CARPET

		ADDITIONAL WEIGHT in kg
Corrugated effect microfibre upholstery, sandstone	as standard	0
Corrugated effect microfibre upholstery, cappuccino	as standard	0
Corrugated effect leather upholstery, sandstone		25
Corrugated effect leather upholstery, mother of pearl		25
Corrugated effect leather upholstery, Tortora		25
Corrugated effect leather upholstery, stone grey		25
Original driver's compartment seats covered in living room microfibre instead of the chassis manufacturer's original upholstery		0
Original driver's compartment seats covered in living room leather instead of the chassis manufacturer's original upholstery		5
Concorde collection: 2 x small scatter cushions, 1 x large scatter cushion, 2 x cosy blankets		8
Soft-walk flooring. Colour: dark brown	no surcharge	0
Living room carpet linked and removable. Colour: creme		10
Living room carpet linked and removable. Colour: grey-brown		10

Concorde only uses high-quality materials and leather with a special dirt-repellent coating.

The mass in roadworthy condition consists of: driver (75 kg), full fuel tank, 100 l fresh water, 1 x full 11 kg steel gas bottle, tool kit and spare wheel. Installing optional extras and accessories may alter the unladen weight and dimensions. All dimensions and weights correspond to the information available at the time of printing. Deviations of +/- 5% are possible and permitted.





Standard equipment

CHASSIS

	MAN	MB
	TGL	Atego
Turbo-diesel engine with rear-wheel drive and twin tyres	•	•
Tyres for up to 10 tonne chassis	235 / 75R17.5	235 / 75R17.5
Tyres for 12 tonne chassis	245 / 75R17.5	265 / 70R19.5
Rear-axle tyres with traction profile (M+S label)	•	•
Disc brakes on front and rear axle	•	•
Dual-circuit compressed air brake	•	•
Electronically controlled anti-lock braking system (ABS)	•	•
Engine brake	•	•
Brake system with EVB engine brake system (increased braking efficiency)	•	•
Cruise control	•	•
Alternator 28 V, 80 A, additional alternator 14 V, 80 A to charge the onboard battery while driving	•	-
Alternator 28 V, 150 A	-	•
Fuel tank	180 l	180 l
Air conditioning in driver's compartment	•	•
LED tail lights at the rear	•	•
Exterior mirrors with wide angle, electrically heated and adjustable	•	•
Front bumper to match colour of driver's compartment	•	•
Central locking on driver and passenger doors, original driver's compartment with remote control	•	•
Steering wheel with adjustable height and tilt	•	•
Warning triangle, first-aid kit, warning light and chock	•	•
Automatic 6-speed transmission system (12-speed with MAN 6-cylinder engine)	•	-
Automatic 8-speed transmission system	-	•
Stability assist	-	•
Pneumatic suspension rear axle with "raise and lower" function	•	•

Standard equipment

BODY

CRUISER

Double-glazed, tinted plastic windows in living area, hinged or sliding (depending on installation position), with pleated blackout blind and fly screen	•
High-strength, durable aluminium composite construction solidtherm	•
Thermal-bridge-free, fully insulated wall connection technique using highly-compressed solid PU profiles	•
40 mm wall thickness, 38 mm of which closed-cell RTM rigid foam	•
Walls, roof and subfloor inside and outside made of high-quality aluminium in sandwich construction	•
Exterior sheet smooth, stove enamelled white	•
Fully accessible roof	•
Aluminium roof profile strips	•
Side skirts made of high-strength, corrosion-free and rot-resistant fibreglass composite material	•
Rear wall made of fibreglass composite sandwich with PU foam core	•
Heated raised floor with height of approx. 420 mm, accessible from the side via outer flap	•
Heavy duty rollers on rear	•
Storage compartment flaps with cast aluminium hinges and low-maintenance, high-quality needle felt on the inside, thermally separated frame	•
Sandwich underfloor and sandwich intermediate floor each with 40 mm or 30 mm thick RTM foam, floor insulation 70 mm in total	•
Rear-axle wheel arches in fully insulated sandwich construction	•
Illuminated rear garage with garage doors left and right, lashing system and 230 V socket (not for G models)	•
Illuminated internal entry step, heated	•
External, electrically extendible entry step with safety circuit and lighting	•
"Security Plus" entrance door with combination security lock and "Interstop" emergency key switch	•
Fly screen for entrance door	•
Outdoor lamp with safety circuit (automatic shut-off when engine is started)	•
Comfort seats covered in original material, air suspension with lumbar support, shoulder adjustment and seat heating	•
Low-maintenance, durable, reinforced PVC garage flooring	•

Standard equipment

LIVING ROOM / SLEEPING AREA

CRUISER

Concealed flap lock	•
High-quality micro-fibre wall and ceiling cladding	•
Soft-walk flooring. Colour: antia anthracite	•
Ergonomically-shaped seating group. High-quality microfibre upholstery with zippers (body), incl. seat in driver's compartment	•
High-quality sliding curtains	•
Wardrobe with lighting	•
Rear bed with sprung base, adjustable headrest and comfortable cold foam mattress	•
Insulated sliding door to the driver's compartment, lockable from the living room	•
Double-glazed panoramic skylight with light in living room, fly screen and pleated blackout blind	•
Mini-Heki with fly screen and pleated blackout blind in sleeping area	•
TV sideboard in entrance area	•
Display cabinet in entrance area with mineral material shelves incl. a range of suitable glasses, with LED lighting	•
Light canopies with LED spotlights and indirect lighting with a high-quality, faux leather cover	•
Sturdy metal handle for boarding assistance	•
12 V socket and 230 V sockets	•

Standard equipment

ALCOVES

CRUISER

Sleeping area (in mm)	2100 x 1550
Height above bed (in mm)	700
Comfortable cold-foam mattress with springing	•
Double-glazed, tinted plastic windows, hinged, with pleated blackout blind and fly screen	•
Mini-Heki with fly screen and pleated blackout blind	•
Storage console with LED spotlights, alcoves on driver's side	•
Curtain to separate from living area	•
Ladder, fall protection with bayonet fasteners	•

KITCHEN

CRUISER

Kitchen area with splash guard	•
Mineral kitchen worktop with seamlessly moulded-in sink. Colour: beige (sanded sahara)	•
Stainless-steel three-flame hob with automatic ignition and glass cover	•
Single-lever chrome mixer tap with pull-out head	•
190 l refrigerator with separate 31 l freezer compartment, refrigerator with dark reflective front, AES (automatic and manual energy selection 12 V / 230 V / gas), 28 l gas oven with grill function	•
Drawers with Servo-Soft closing	•
Integrated cutlery tray	•
Roof fan with ventilation function	•
Lighting with LED spotlights in light canopy and under wall cupboards	•
Integrated waste system in kitchen base unit	•
2 x 230 V sockets	•
Exclusive kitchen corner cabinet for coffee machine	•

Standard equipment

BATHROOM / TOILET

CRUISER

High-quality design chrome bathroom fittings on washstand in household quality	•
Mineral washstand panel with seamlessly moulded-in washbasin. Colour: white (sanded cream)	•
Separate shower with real glass doors incl. removable clothes rail	•
Shower fitting with wall bar and height-adjustable shower	•
Porcelain toilet with approx. 230 l fixed tank	•
Bathroom equipment with toilet paper holder, toilet brush, liquid soap dispenser, towel hook and rail, toothbrush glasses	•
Toilet window	•
Mini-Heki with fly screen and pleated blackout blind	•
Lighting with LED spotlights	•
Wardrobe with lighting	•
Full-length mirror on sliding door	•
Spacious mirror wardrobe with shelves	•
230 V socket	•

Standard equipment

WATER / GAS / HEATING

CRUISER

Gas bottle compartment for 2 x 11 kg gas bottles	•
"Duocontrol" gas regulator with crash sensor and automatic bottle switching	•
Household siphons	•
Fresh-water tank in heated raised floor, approx. 320 l	•
Waste-water tank in heated raised floor, approx. 230 l	•
Convenient waste-water-tank draining via drainage cock in heated raised floor	•
Top-mounted cleaning opening for all tanks, accessible from living area	•
Waste-water drain hose with quick lock and closing caps	•
Automatic, central pressurised water pump with filter system	•
Alde 5500 W hot-water and gas central heating with thermostatic control and timer, 230 V electric heating element, 3000 W, duct shut-off with integrated hot water boiler to supply all tapping points	•
Thermostatically controlled heating system in sleeping area / garage	•
2-zone underfloor heating, separately adjustable	•
3-zone room heating, separately adjustable (living room, bathroom, sleeping area)	•
Heated towel rail in bathroom with room thermostat	•
Engine heat exchanger which uses the heat given off by the engine to heat the living room	•

Standard equipment

ELECTRICAL / TV / RADIO

CRUISER

Gel battery 2 x 165 Ah	•
Battery monitoring system with deep discharge protection	•
230 V CEE connection in storage space with cable routing through vehicle floor	•
Automatic residual current circuit-breaker	•
Combination charging unit with inverter from 12 V to 230 V, sine 4000 W peak and 2000 W continuous output, with electronic control and mains priority circuit, maximum charging current 100 A	•
Disconnection of on-board electrics when capacity limit is reached, with automatic reconnection	•
230 V socket in garage (not G models)	•
CD radio in driver's compartment with USB interface (MP3 compatible), speaker in driver's compartment and living room	•
LED lighting in interior	•
Service-friendly access to on-board electronics with perforated plate housing (not G model) in rear garage (in external storage compartment on the right for G model)	•
Automatic refrigerator switching from 12 V to gas / 230 V when engine is switched off (with land connection)	•
Automatic charging of living-room and vehicle battery, charge maintenance during connection of external power and while driving	•
Cut-out switch for living-room batteries	•
Automatic connection and disconnection of living-room and vehicle battery	•

ON-BOARD ELECTRONICS

CRUISER

Ultra-modern, micro-processor-controlled on-board electronics with BUS (Binary Unit System) technology

•

Central control panel with 7" touch-screen colour display

•

Master switch for all consumers

•

Buttons to switch the following devices on and off:

• Panel

•

• Lighting

•

• Water pump

•

• Heating

•

LCD display to monitor:

• Fresh water tank (fill level in %)

•

• Waste water tank (fill level in %)

•

• Battery voltage of the vehicle battery and living-room battery

•

• Outdoor and indoor temperature

•

• External power supply

•

• Gas level (only in combination with gas tank)

•

• Battery parallel circuit

•

• Date and time with alarm function

•

Alarm systems for:

• Waste water tank full

•

• Fresh water tank empty

•

• Septic tank full

•

• Battery undervoltage

•

• Reserve gas bottle in operation

•

• Extended step

•

Battery computer:

• Body battery capacity indicator


•

• Charging and discharging current


•

Technical specifications


CRUISER 890 L / 890 LR



Standard seating group



Circular seating group




Base vehicle	MAN TGL	MB Atego
Chassis type	8.220	923 L
Engine	4 cylinder Euro 5/6	4 cylinder Euro 6
Engine capacity	4.6 l	5.1 l
Output	162 kW (220 bhp)	170 kW (231 bhp)
Torque	850 Nm	900 Nm
Overall length (mm)	8930	8930
Overall width (mm)	2490	2490
Overall height (mm)	3610	3700
Wheel base (mm)	4500	4520
Maximum permitted laden mass (kg)	8800	9500
Mass in roadworthy condition (kg)	7220	7610
Payload (kg)	1580	1890
Towbar load (braked) in kg	3500	3500
Seats (with three-point seatbelt) ¹	4	4
Seating group left (mm)	2000	2000
Bench seat right (mm)	1500	1500
Rear bed (mm)	2 x 2000 / 845	2 x 2000 / 845
Alcove bed dimensions (mm)	2100 / 1550	2100 / 1550
Height above alcove mattress (mm)	700	700
Garage door right H / W (mm)	1250 / 1150	1250 / 1150
Garage door left H / W (mm)	1250 / 800	1250 / 800


¹ For all R floor plans 3 x three-point seatbelt and 1 x lap belt facing backwards. For more information on dimensions and weights, see page 34.

Technical specifications


CRUISER 940 M / 940 MR



Standard seating group



Circular seating group




Base vehicle	MAN TGL	MB Atego
Chassis type	12.250	1230 L
Engine	6 cylinder Euro 5/6	6 cylinder Euro 6
Cylinder capacity	6.9 l	7.7 l
Power	184 kW (250 bhp)	220 kW (299 bhp)
Torque	1000 Nm	1200 Nm
Overall length (mm)	9430	9430
Overall width (mm)	2490	2490
Overall height (mm)	3610	3780
Wheel base (mm)	4850	4760
Maximum permissible laden weight (kg)	11990	11990
Mass in running order (kg)	8010	8640
Payload / downgraded (kg)	3980	3350
Towbar load (braked) in kg	3000	3000
Seats (with three-point seatbelt) ¹	4	4
Seating group left (mm)	2000	2000
Bench seat right (mm)	1220 / 640	1500
Rear bed (mm)	2000 / 1570	2000 / 1570
Alcove bed dimensions (mm)	2100 / 1550	2100 / 1550
Height above alcove mattress (mm)	700	700
Garage door right H / W (mm)	1250 / 1150	1250 / 1150
Garage door left H / W (mm)	1250 / 800	1250 / 800


¹ For all R floor plans 3 x three-point seatbelt and 1 x lap belt facing backwards. For more information on dimensions and weights, see page 34.

Technical specifications


CRUISER 990 G / 990 GR



Standard seating group



Circular seating group



Base vehicle	MAN TGL	MB Atego
Chassis type	12.250	1230 L
Engine	6 cylinder Euro 5/6	6 cylinder Euro 6
Cylinder capacity	6.9 l	7.7 l
Power	184 kW (250 bhp)	220 kW (299 bhp)
Torque	1000 Nm	1200 Nm
Overall length (mm)	10091	10091
Overall width (mm)	2490	2490
Overall height (mm)	3610	3780
Wheel base (mm)	5300	5360
Maximum permissible laden weight (kg)	11990	11990
Mass in running order (kg)	8410	9040
Payload / downgraded (kg)	3580	2950
Towbar load (braked) in kg	3000	3000
Seats (with three-point seatbelt) ¹	4	4
Seating group left (mm)	2000	2000
Bench seat right (mm)	1500	1500
Rear bed (mm)	2000 / 1570	2000 / 1570
Alcove bed dimensions (mm)	2100 / 1550	2100 / 1550
Height above alcove mattress (mm)	700	700
Rear flap H / W (mm)	1510 / 1760	1510 / 1760

¹ For all R floor plans 3 x three-point seatbelt and 1 x lap belt facing backwards. For more information on dimensions and weights, see page 34.

Optional extras chassis

CHASSIS MAN TGL

	ADDITIONAL WEIGHT in kg
Towbar coupling with 3500 kg towbar load (3000 kg above 12 t) (only available factory-fitted)	29
Traction control system (TCS) and electronic stability program (ESP)	5
Bi-xenon headlights with headlight washing system	5
Engine variant 8.250 (6 cylinder, 6.9 l, 184/250 kW/bhp, 1000 Nm) instead of 8.220	300
Chassis variant 12000 kg	
MAN TGL 12.250 (6 cylinder, 6.9 l, 184/250 kW/bhp, 1000 Nm, towbar load 3000 kg) available for: 890 L / LR	660
Differential lock for rear axle	15
Dashboard with root wood inserts (only for Euro 6)	1
17.5" alloy wheel rims with standard tyres	-56
Hydraulic stabiliser jack system with automatic levelling	139
Stainless steel hub caps	8
Standard leather-covered steering wheel	1
Original functional steering wheel cruise control covered in leather (only for Euro 6)	2

Optional extras chassis

CHASSIS MB ATEGO

ADDITIONAL WEIGHT

in kg

Towbar coupling with 3500 kg towbar load (3000 kg above MB Atego 12t) (only available factory-fitted)	29
Driver's compartment seats as comfort seats	60
Differential lock for rear axle	15
Aluminium look dashboard (chrome interior décor in driver's compartment)	2
Wood look dashboard (matt wood interior décor in driver's compartment)	2
17.5" alloy wheel rims with standard tyres (MB Atego 9t)	-56
19.5" alloy wheel rims with standard tyres (MB Atego 12t)	-60
Pneumatic suspension on front axle (MB Atego 12t)	90
Hydraulic stabiliser jack system with automatic levelling	139
Stainless steel hub caps	8
Permanent Magnet Retarder	39
Original multi-function leather steering wheel with real chrome look ¹	3
Original multi-function leather steering wheel with wood look ¹	3
Combination instrument with video function	4
Chassis variant 12000 kg	
MB Atego 1230 L (6 cylinder, 7.7 l, 220/290 kW/bhp, 1200 Nm, towbar load 3000 kg, overall height 3780 mm, wheelbase 4460) available for: 890 L / LR	980

¹ Multi-function only in conjunction with original Mercedes radio and/or navigation.

Optional extras body

BODY

	ADDITIONAL WEIGHT in kg
1 x lap belt in bench seat facing backwards (incl. 5-person approval, only with R seating group)	5
2 x lap belts in bench seat facing backwards (incl. 6-person approval, only with standard seating group)	30
White, powder-coated aluminium roof rails	10
Rear ladder incl. hook ladder and rear ladder cover (rear ladder not for G model)	11
Roof awning 5.5 m, electric (890 L / LR)	58
Roof awning 6 m, electric (940 M / MR, 990 G / GR)	66
Rear garage floor with aluminium ribbed plate covering	20
Central locking for storage compartment flaps (without skirting-panel flaps and gas storage door)	5

LIVING ROOM / SLEEPING AREA

Height-adjustable table with table-top cushion (only circular seating group)	8
Midi-Heki instead of Mini-Heki (sleeping area)	6
Panorama skylight instead of Mini-Heki (sleeping area)	19

KITCHEN

Stainless-steel microwave with grill function under hob, 230 V operation via external connection, 26 l oven (not in conjunction with dishwasher)	22
Dishwasher under hob (not in conjunction with microwave)	25

Optional extras body

ELECTRICAL

ADDITIONAL WEIGHT
in kg

	ADDITIONAL WEIGHT in kg
Electrical power package	
1 x additional gel battery 165 Ah (total of 3 batteries) 100 A combination charger with mains power pre-selection, sinus inverter from 12 V to 230 V, 5000 W peak and 2500 W continuous output with mains failure compensation	60
Alarm system with monitoring of the interior, the garage door and of the living-room door	3
Built-in 2600 W gas generator (only in conjunction with gas tank)	50
Dual reversing camera with shutter (MAN) (image via standard radio)	4
Dual reversing camera with shutter (MB Atego only in conjunction with combination instrument) (image via standard radio)	4
Solar unit with approx. 120 W maximum output	15
Solar unit with approx. 2 x 120 W maximum output	30

TV / RADIO / TELEPHONE

Satellite TV set with 85 cm dish, fully-automatic alignment, multi-user equipment with TWIN LNB, connection for second receiver with 12 V / 230 V and antenna socket in sleeping area, sound playback via radio (overall vehicle height plus approx. 100 mm)	
Satellite TV set 1 with 24" LED flat screen in entrance area	38
Satellite TV set 2 with 24" LED flat screen in right overhead cupboard, electrically height-adjustable	45
Internet satellite TV set with 24" LED flat screen in entrance area, system with TV reception function, GPS SKEW and Internet access	38
Navigation system (with lorry software and 6.2" touch screen, integrated radio with DVD, CD and MP3 playback, hands-free device for telephone with Bluetooth) and dual reversing camera with shutter (MAN)	4
Original MB Atego navigation system with lorry software incl. dual reversing camera with shutter	Price on request
22" LED flat-screen for rear sleeping area with integrated TV tuner	15
Radio in body with CD, DVD and MP3 playback, sound system with subwoofer and additional speaker	15
Combination 230 V / 12 V / antenna / socket with floor inlet, position: in external storage compartment on the left next to body door (for optional external TV connection) (sat. output)	1
DVB-T antenna for reception of terrestrial digital TV	2

Optional extras body

WATER / GAS / HEATING / BATHROOM

	ADDITIONAL WEIGHT
	in kg
Outdoor shower in the garage (driver's side)	2
"Motor Caravan" diesel block heater with convenient permanent heating function (5200 W) incl. timer	10
Waste-water tank approx. 320 l instead of approx. 230 l	8
Gas alarm for living-room monitoring (carbon monoxide, propane, butane, paralysing gas, KO gas)	2
Approx. 120 l gas tank with remote gas switch, crash sensor and level indicator on control panel display, incl. skirting-panel flap	104
Gas outer wall socket on passenger side (gas extraction)	1
Roof air-conditioning 2400 W with 1700 W heating element	34
2400 W air conditioning for living room with infrared remote control (fitted in raised floor)	37
Porcelain cassette toilet incl. SOG toilet roof ventilation (instead of toilet with fixed tank)	no surcharge -15
Additional toilet cassette with holding tray	3

Optional extras body

UPHOLSTERY / LEATHER / CARPET

ADDITIONAL WEIGHT

in kg

Corrugated effect microfibre upholstery, sandstone	as standard	0
Corrugated effect microfibre upholstery, cappuccino	as standard	0
Corrugated effect leather upholstery, sandstone		25
Corrugated effect leather upholstery, mother of pearl		25
Corrugated effect leather upholstery, Tortora		25
Corrugated effect leather upholstery, stone grey		25
Exclusive corrugated effect leather upholstery, natural rustic, grigio (natural material with visual inlays or different surface looks possible)		25
Original driver's compartment seats covered in living room microfibre instead of the chassis manufacturer's original upholstery		0
Original driver's compartment seats covered in living room leather instead of the chassis manufacturer's original upholstery		5
Surcharge for original driver's compartment seats upholstered in exclusive natural rustic leather		5
Concorde collection: 2 x small scatter cushions, 1 x large scatter cushion, 2 x cosy blankets		8
Soft-walk flooring. Colour: dark brown	no surcharge	0
Living room carpet linked and removable. Colour: creme		10
Living room carpet linked and removable. Colour: grey-brown		10
Living room carpet linked and removable. Colour: beige (high pile)		10


Concorde only uses high-quality materials and leather with a special dirt-repellent coating.

The mass in roadworthy condition consists of: driver (75 kg), full fuel tank, 100 l fresh water in driving position, 1 x full 11 kg steel gas bottle, tool kit and spare wheel. Installing optional extras and accessories may alter the unladen weight and dimensions. All dimensions and weights correspond to the information available at the time of printing. Deviations of +/- 5% are possible and permitted.

Sectional drawing

CONCORDE CRUISER CABIN CONSTRUCTION

Concorde represents perfect insulation and outstanding stability in motorhome construction. This is primarily due to the thermal-bridge-free, fully bonded Solidtherm cabin construction with PU hard foam strips as well as the insulation of the side walls with 38 millimetre thick RTM foam. But that's not all: The underfloors and intermediate floors are also made in a sandwich construction and fitted with a total of 70 millimetres of insulation. Furthermore, the side skirts, bumpers and front and rear sections are made of robust yet flexible fibre-glass compound material. The high-gloss, completely smooth, aluminium sandwich wall panels create a car-like appearance and, so that this remains in the long term, aluminium roof profile strips with rain channels efficiently reduce soiling of the side walls. A 10-year ingress warranty on the body against the ingress of moisture from the outside with annual inspection in accordance with the Concorde warranty conditions.



Technical modifications reserved provided that the overall product quality remains the same or is improved and the intended purpose is not impaired. On publication of this technical information, all previous are rendered invalid. Subject to change without notice, errors excepted.

Concorde

REISEMOBILE AUS LEIDENSCHAFT

Concorde Reisemobile GmbH
Concorde-Straße 2-4, D-96132 Schlüsselfeld-Aschbach
Tel.: +49 (0) 9555 9225-0, Fax: +49 (0) 9555 9225-44
Web: www.concorde.eu, E-Mail: info@concorde.eu