

# Liner Plus



Technical Information 2014

**Concorde**  
REISEMOBILE AUS LEIDENSCHAFT

# Standard equipment

## CHASSIS

	MAN TGL	MAN TGM	MB Atego
Insulated, soundproof engine compartment cover	•	•	•
Turbo-diesel engine with rear-wheel drive and twin tyres	•	•	•
Automated 6-speed gearbox (12-speed with MAN 6-cylinder engine, 8 speed with MB Atego)	•	•	•
Differential lock for rear axle	•	•	•
Traction control system (TCS)	•	•	•
Pneumatic suspension rear axle with "raise and lower" function	•	•	•
Tyres for up to 10 tonne chassis	235 / 75R17.5	-	-
Tyres for 12 tonne chassis	245 / 75R17.5	-	265 / 70R19.5
Tyres for 15 tonne chassis	-	285 / 70R19.5	285 / 70R19.5
Rear-axle tyres with traction profile (M+S label)	•	•	•
Disc brakes on front and rear axle	•	•	•
Dual-circuit compressed air brake	•	•	•
Electronically controlled anti-lock braking system (ABS)	•	•	•
ESP (only in conjunction with Euro 6)	Option	Option	•
Engine brake	•	•	•
Cruise control	•	•	•
Alternator 28 V, 80 A	•	•	•
Additional alternator 14 V, 80 A to charge the onboard battery while driving	•	•	-
Alternator 28 V, 150 A	-	-	•
Fuel tank	180 l	180 l	180 l
Air conditioning in driver's compartment	•	•	•
Daytime running lights LED	•	•	•
Indicator lights with LED sidelights	•	•	•
LED tail lights at the rear (in part)	•	•	•
Bi-xenon headlights with headlight washer, daytime running lights and fog lights with integrated adaptive headlights	•	•	•
Independent, ergonomic dashboard, incl. glove box	•	•	-
Leather dashboard covering, upholstered with a stitched seam	•	•	•
Steering wheel with adjustable height and tilt	•	•	•
Warning triangle, first-aid kit, warning light and chock	•	•	•
Stainless-steel wheel trims	•	•	•

# Standard equipment

## BODY

## LINER PLUS

Tinted, panoramic laminated glass windscreen with heated wiper support	•
Windscreen heating	•
Electric sun blind for windscreen	•
Tempered glass tinted sliding side windows with insulating glazing in the driver's compartment, with pleated blackout blind (can also be used as a sun shade while driving) and fly screen, thermally separated frame	•
Double-glazed, tinted plastic windows in living area, hinged or sliding, with pleated blackout blind and fly screen	•
Electrically-operated insulating shutter for windscreen, with shutter heating	•
High-strength, durable aluminium composite construction Solidtherm	•
Thermal-bridge-free, fully insulated wall-joint technology using high-density solid PU profiles	•
Fully insulated driver's compartment	•
Heater between insulated shutter and windscreen	•
40 mm wall thickness, of which 38 mm closed-cell RTM hard foam	•
Walls, roof and underfloor inside and outside in high-quality aluminium in sandwich construction	•
Exterior sheet smooth, stove enamelled white	•
Fully accessible roof	•
Aluminium roof moulding with rain channels to reduce staining of side walls	•
Front section made of high-strength, corrosion-free and rot-resistant fibreglass composite material	•
Side skirts made of high-strength, corrosion-free and rot-resistant fibreglass composite material	•
Rear wall made of fibreglass composite sandwich with PU foam core	•
Heated raised floor with height of approx. 420 mm, accessible from the side via outer flap	•
Heavy duty rollers on rear	•
Storage compartment flaps with cast aluminium hinges and low-maintenance, high-quality needle felt on the inside, thermally separated frame	•
Sandwich underfloor and sandwich intermediate floor each with 40 mm or 30 mm thick RTM foam, floor insulation 70 mm in total	•
Rear-axle wheel arches in fully insulated sandwich construction	•

# Standard equipment

## BODY

## LINER PLUS

Illuminated rear garage with garage doors left and right, lashing system and 230 V socket (not 990 G / 1060 G max / 1130 G max / 1150 G mini)	•
Illuminated internal entry step, heated	•
External, electrically extendible entry step with safety circuit and lighting	•
"Security Plus" entrance door with combination security lock and emergency key switch, "Interstop" door lock	•
Fly screen for entrance door	•
Outdoor lamp with safety circuit (automatic shut-off when engine is started)	•
Luxury swivel seats in driver's compartment, air suspension with lumbar support and seat heating	•
Privacy protective front view blind (variable bottom-up privacy shield)	•
Low-maintenance, durable, reinforced PVC garage flooring	•
Coach mirrors (long) with wide angle, electrically heated and adjustable	•
Coach windscreen wiper system	•

# Standard equipment

## LIVING ROOM / SLEEPING AREA

## LINER PLUS

Furniture flaps and doors in Cherry Finition (veneered on both sides)	•
Level living room floor from the dashboard to the rear bed	•
Wall and ceiling panelling with colour-coordinated carpet	•
Soft-walk floor covering. Colour: antia anthracite	•
Ergonomically-shaped seating group. High-quality microfibre upholstery with zippers (body), incl. driver's compartment seats	•
High-quality sliding curtains	•
Multi-functional couch on the left with safety belt	•
Wardrobe with lighting	•
Rear bed with sprung base, adjustable headrest and comfortable cold foam mattress	•
Double-glazed panoramic skylight with light, fly screen and pleated blackout blind in living room	•
Mini-Heki with fly screen and pleated blackout blind in sleeping area	•
High-quality living-room table	•
TV sideboard in entrance area	•
Display cabinet in entrance area with solid mineral material shelves incl. a range of suitable glasses, with LED lighting	•
Light canopies with LED spotlights and indirect lighting with a high-quality, faux leather cover	•
Robust metal handle for boarding assistance	•
12 V socket and 230 V sockets	•
Wall covering with faux-leather cassettes for double / single beds in the rear of the vehicle (depending on floor plan)	•
Front wall cabinets continue above windscreen	•

## FOLD-DOWN BED (OPTIONAL)

Sleeping area (in mm)	2080 x 1440
Height above bed (in mm)	860
Comfortable cold-foam mattress with springing	•
Mini-Heki with fly screen and pleated blackout blind	•
Driver's compartment curtain	•

# Standard equipment

## KITCHEN

## LINER PLUS

Kitchen area with splash guard	•
Mineral kitchen worktop with seamlessly moulded-in sink. Colour: beige (sanded sahara)	•
Stainless-steel three-flame hob with automatic ignition and glass cover	•
Single-lever chrome mixer tap with pull-out sprinkler head	•
190 l refrigerator with separate 31 l freezer compartment, refrigerator with dark reflective front, AES (automatic and manual energy selection 12 V / 230 V / gas),	
28 l gas oven with grill function	•
Drawers with Servo-Soft closing	•
Integrated cutlery tray	•
Roof fan with ventilation function	•
Light canopies with LED spotlights and indirect lighting	•
LED spotlights under the wall cupboards	•
Integrated waste system in kitchen base unit	•
2 x 230 V sockets	•
Exclusive kitchen corner cabinet for coffee machine	•

## BATHROOM / TOILET

High-quality design chrome bathroom fittings on washstand	•
Mineral washstand panel with seamlessly moulded-in washbasin. Colour: white (sanded cream)	•
Separate shower with acrylic glass doors (in master bathroom) and real glass doors (in premium bathroom) incl. removable clothes rail	•
Shower fitting with wall bar and height-adjustable shower	•
Porcelain toilet with approx. 230 l fixed tank	•
Bathroom equipment with toilet paper holder, toilet brush, liquid soap dispenser, towel hook and rail, toothbrush glasses	•
Toilet window	•
Mini-Heki with fly screen and pleated blackout blind	•
Lighting with LED spotlights	•
Wardrobe with lighting	•
Full-length mirror on sliding door	•
Spacious mirror wardrobe with backlit shelves	•
2 x 230 V sockets	•

# Standard equipment

## WATER / GAS / HEATING

## LINER PLUS

Gas bottle compartment for 2 x 11 kg gas bottles	•
"Duocontrol" gas regulator with crash sensor and automatic bottle switching	•
Household siphons	•
Fresh-water and waste-water tank in heated raised floor, each approx. 320 l	•
Convenient waste-water-tank draining via drainage cock in heated raised floor	•
Top-mounted cleaning opening for all tanks, accessible from living area	•
Waste-water drain hose with quick lock and closing caps	•
Automatic, central pressurised water pump with filter system	•
Alde 5500 W hot-water and gas central heating with thermostatic control and timer, 230 V electric heating element, 3000 W, duct shut-off with integrated hot water boiler to supply all tapping points	•
Thermostatically controlled heating system in sleeping area / garage	•
2-zone underfloor heating, separately adjustable	•
3-zone room heating, separately adjustable (living area, bathroom, sleeping area)	•
Heated towel rail in bathroom with room thermostat	•
Engine heat exchanger which uses the engine coolant to heat the living area	•

## ELECTRICAL / TV / RADIO

Gel batteries 2 x 165 Ah	•
Battery monitoring system with deep discharge protection	•
230 V CEE connection in storage space with cable routing through vehicle floor	•
Automatic residual current circuit-breaker	•
Combination charging unit with inverter from 12 V to 230 V, sine 4000 W peak and 2000 W continuous output, with electronic control and mains priority circuit, maximum charging current 100 A	•
Disconnection of on-board electrics when capacity limit is reached, with automatic reconnection	•
230 V socket in garage (not G models)	•
Double DIN radio with CD/DVD and MP3 and USB connection, with three-way speaker system	•
LED lighting in interior	•
Service-friendly access to on-board electronics with perforated plate housing (not G models) in rear garage (in external storage compartment on the right for G models)	•
Automatic refrigerator switching from 12 V to gas / 230 V when engine is switched off (with land connection)	•
Automatic charging of living room and vehicle battery, charge maintenance during connection of external power and while driving	•
Cut-out switch for living-room batteries	•
Automatic connection and disconnection of living room and vehicle batteries	•

# Standard equipment

## ON-BOARD ELECTRONICS


## LINER PLUS

Ultra-modern, micro-processor-controlled on-board electronics with BUS (Binary Unit System) technology	•
Central control panel with 7" touch screen colour display	•
Master switch for all consumers	•
<b>Buttons to switch the following equipment on and off:</b>	
• Panel	•
• Frost protection of the gas pressure control (Eis-Ex)	•
• Lighting	•
• Water pump	•
• Heating	•
<b>LCD display panel to monitor:</b>	
• Fresh water tank (fill level in %)	•
• Waste water tank (fill level in %)	•
• Battery voltage of the vehicle battery and living room battery	•
• Outdoor and indoor temperature	•
• External power supply	•
• Gas level (only in combination with gas tank)	•
• Battery parallel circuit	•
• Date and time with alarm function	•
<b>Alarm systems for:</b>	
• Waste water tank full	•
• Fresh water tank empty	•
• Septic tank full	•
• Battery under-voltage	•
• Reserve gas bottle in operation	•
• Extended step	•
<b>Battery computer:</b>	
• Body battery capacity indicator	•
• Charging and discharging current	•




# Technical specifications


## LINER PLUS 940 LS



CL lounge



Bar version




Lounge

Base vehicle	MAN TGL	MB Atego
Chassis type	8.220 TipMatic	923 L
Engine	4 cylinder/Euro 5/6	4 cylinder/Euro 6
Engine capacity	4.6 l	5.1 l
Output	162 kW (220 bhp)	170 kW (231 bhp)
Torque	850 Nm	900 Nm
Overall length (mm)	9480	9480
Overall width (mm)	2490	2490
Overall height (mm)	3560	3660
Wheelbase (mm)	4850	4820
Maximum permitted laden mass (kg)	8800	9500
Mass in roadworthy condition (kg)	7180	7690
Payload (kg)	1620	1810
Towbar load (braked) in kg	3500	3500
Seats with three-point seatbelts in multi-function / CL lounge / bar version	3 / 4 / 4	3 / 4 / 4
Bench seat left (CL lounge, mm)	1850 / 915	1850 / 915
Bench seat right (mm)	1360 / 650	1360 / 650
Rear bed (mm)	2 x 2000 / 850	2 x 2000 / 850
Fold-down bed dimensions (optional, mm)	2080 / 1440	2080 / 1440
Height above fold-down bed (mm)	860	860
Garage door right H / W (mm)	1250 / 1150	1250 / 1150
Garage door left H / W (mm)	1250 / 800	1250 / 800


For more information on dimensions and weights, see page 22.

# Technical specifications


## LINER PLUS 940 M



CL lounge



Bar version




Lounge

Base vehicle	MAN TGL	MB Atego
Chassis type	8.220 TipMatic	923 L
Engine	4 cylinder/Euro 5/6	4 cylinder/Euro 6
Engine capacity	4.6 l	5.1 l
Output	162 kW (220 bhp)	170 kW (231 bhp)
Torque	850 Nm	900 Nm
Overall length (mm)	9480	9480
Overall width (mm)	2490	2490
Overall height (mm)	3560	3660
Wheelbase (mm)	4850	4820
Maximum permitted laden mass (kg)	8800	9500
Mass in roadworthy condition (kg)	7180	7690
Payload (kg)	1620	1810
Towbar load (braked) in kg	3500	3500
Seats with three-point seatbelts in multi-function / CL lounge / bar version	3 / 4 / 4	3 / 4 / 4
Bench seat left (CL lounge, mm)	1850 / 915	1850 / 915
Bench seat right (mm)	1360 / 650	1360 / 650
Rear bed (mm)	2000 / 1570	2000 / 1570
Fold-down bed dimensions (optional, mm)	2080 / 1440	2080 / 1440
Height above fold-down bed (mm)	860	860
Garage door right H / W (mm)	1250 / 1150	1250 / 1150
Garage door left H / W (mm)	1250 / 800	1250 / 800


For more information on dimensions and weights, see page 22.

# Technical specifications


## LINER PLUS 995 M



CL lounge



Bar version




Lounge

Base vehicle	MAN TGL	MB Atego
Chassis type	12.250 TipMatic	1230 L
Engine	6 cylinder/Euro 5/6	6 cylinder/Euro 6
Engine capacity	6.9 l	7.7 l
Output	184 kW (250 bhp)	220 kW (299 bhp)
Torque	1000 Nm	1200 Nm
Overall length (mm)	9980	9980
Overall width (mm)	2490	2490
Overall height (mm)	3560	3740
Wheelbase (mm)	5200	5060
Maximum permissible laden weight (kg)	11990	11990
Mass in roadworthy condition (kg)	7950	8700
Payload (kg)	4040	3290
Towbar load (braked) in kg	3000	3000
Seats with three-point seatbelts in multi-function / CL lounge / bar version	3 / 4 / 4	3 / 4 / 4
Bench seat left (mm)	1850 / 915	1850 / 915
Bench seat right (mm)	1360 / 650	1360 / 650
Rear bed (mm)	2000 / 1570	2000 / 1570
Fold-down bed dimensions (optional, mm)	2080 / 1440	2080 / 1440
Height above fold-down bed (mm)	860	860
Garage door right H / W (mm)	1250 / 1150	1250 / 1150
Garage door left H / W (mm)	1250 / 800	1250 / 800


For more information on dimensions and weights, see page 22.

# Technical specifications


## LINER PLUS 990 L



CL lounge



Bar version




Lounge

Base vehicle	MAN TGL	MB Atego
Chassis type	12.250 TipMatic	1230 L
Engine	6 cylinder/Euro 5/6	6 cylinder/Euro 6
Engine capacity	6.9 l	7.7 l
Output	184 kW (250 bhp)	220 kW (299 bhp)
Torque	1000 Nm	1200 Nm
Overall length (mm)	9980	9980
Overall width (mm)	2490	2490
Overall height (mm)	3560	3740
Wheelbase (mm)	5200	5060
Maximum permissible laden weight (kg)	11990	11990
Mass in roadworthy condition (kg)	8050	8800
Payload (kg)	3940	3190
Towbar load (braked) in kg	3000	3000
Seats with three-point seatbelts in multi-function / CL lounge / bar version	3 / 4 / 4	3 / 4 / 4
Bench seat left (mm)	1850 / 915	1850 / 915
Bench seat right (mm)	1360 / 650	1360 / 650
Rear bed (mm)	2x2000 / 850	2x2000 / 850
Fold-down bed dimensions (optional, mm)	2080 / 1440	2080 / 1440
Height above fold-down bed (mm)	860	860
Garage door right H / W (mm)	1250 / 1150	1250 / 1150
Garage door left H / W (mm)	1250 / 800	1250 / 800


For more information on dimensions and weights, see page 22.

# Technical specifications


## LINER PLUS 990 G



CL lounge



Bar version




Lounge

Base vehicle	MAN TGL	MB Atego
Chassis type	12.250 TipMatic	1230 L
Engine	6 cylinder/Euro 5/6	6 cylinder/Euro 6
Engine capacity	6.9 l	7.7 l
Output	184 kW (250 bhp)	220 kW (299 bhp)
Torque	1000 Nm	1200 Nm
Overall length (mm)	10040	10040
Overall width (mm)	2490	2490
Overall height (mm)	3560	3740
Wheelbase (mm)	5200	5060
Maximum permissible laden weight (kg)	11990	11990
Mass in roadworthy condition (kg)	8150	8830
Payload (kg)	3840	3160
Towbar load (braked) in kg	3000	3000
Seats with three-point seatbelts in multi-function / CL lounge / bar version	3 / 4 / 4	3 / 4 / 4
Bench seat left (mm)	1850 / 915	1850 / 915
Bench seat right (mm)	1360 / 650	1360 / 650
Rear bed (mm)	2000 / 1570	2000 / 1570
Fold-down bed dimensions (optional, mm)	2080 / 1440	2080 / 1440
Height above fold-down bed (mm)	860	860
Rear flap H / W (mm)	1510 / 1760	1510 / 1760


For more information on dimensions and weights, see page 22.

# Technical specifications


## LINER PLUS 1060 GMAX



CL lounge



Bar version




Lounge

Base vehicle	MAN TGM	MB Atego
Chassis type	15.290	1530L
Engine	6 cylinder/Euro 5/6	6 cylinder/Euro 6
Engine capacity	6.9 l	7.7 l
Output	213 kW (290 bhp)	220 kW (299 bhp)
Torque	1150 Nm	1200 Nm
Overall length (mm)	10680	10680
Overall width (mm)	2490	2490
Overall height (mm)	3720	3750
Wheelbase (mm)	5425	5360
Maximum permissible laden weight (kg)	15000	15000
Mass in roadworthy condition (kg)	9390	9160
Payload (kg)	5610	5840
Towbar load (braked) in kg	3000	3000
Seats with three-point seatbelts in multi-function / CL lounge / bar version	3 / 4 / 4	3 / 4 / 4
Bench seat left (mm)	1850 / 915	1850 / 915
Bench seat right (mm)	1360 / 650	1360 / 650
Rear bed (mm)	2000 / 1570	2000 / 1570
Fold-down bed dimensions (optional, mm)	2080 / 1440	2080 / 1440
Height above fold-down bed (mm)	860	860
Rear flap H / W (mm)	1510 / 1760	1510 / 1760


For more information on dimensions and weights, see page 22.

# Technical specifications


## LINER PLUS 1090 MS



CL lounge



Bar version




Lounge

Base vehicle	MAN TGL	MB Atego
Chassis type	12.250 TipMatic	1230 L
Engine	6 cylinder/Euro 5/6	6 cylinder/Euro 6
Engine capacity	6.9 l	7.7 l
Output	184 kW (250 bhp)	220 kW (299 bhp)
Torque	1000 Nm	1200 Nm
Overall length (mm)	10980	10980
Overall width (mm)	2490	2490
Overall height (mm)	3560	3740
Wheelbase (mm)	5700	5660
Maximum permissible laden weight (kg)	11990	11990
Mass in roadworthy condition (kg)	8310	9040
Payload (kg)	3680	2950
Towbar load (braked) in kg	3000	3000
Seats with three-point seatbelts in multi-function / CL lounge / bar version	5 / 6 / 6	5 / 6 / 6
Bench seat left (mm)	1850 / 915	1850 / 915
Bench seat right (mm)	1360 / 650	1360 / 650
Dinette	1960 / 920	1960 / 920
Rear bed (mm)	2000 / 1570	2000 / 1570
Fold-down bed dimensions (optional, mm)	2080 / 1440	2080 / 1440
Height above fold-down bed (mm)	860	860
Garage door right H / W (mm)	1250 / 1150	1250 / 1150
Garage door left H / W (mm)	1250 / 800	1250 / 800


For more information on dimensions and weights, see page 22.

# Technical specifications


## LINER PLUS 1130 GMAX



CL lounge



Bar version



Lounge


Base vehicle	MAN TGM	MB Atego
Chassis type	15.290	1530L
Engine	6 cylinder/Euro 5/6	6 cylinder/Euro 6
Engine capacity	6.9 l	7.7 l
Output	213 kW (290 bhp)	220 kW (299 bhp)
Torque	1150 Nm	1200 Nm
Overall length (mm)	11380	11380
Overall width (mm)	2490	2490
Overall height (mm)	3720	3750
Wheelbase (mm)	5775	5860
Maximum permissible laden weight (kg)	15000	15000
Mass in roadworthy condition (kg)	9550	9320
Payload (kg)	5450	5680
Towbar load (braked) in kg	3000	3000
Seats with three-point seatbelts in multi-function / CL lounge / bar version	5 / 6 / 6	5 / 6 / 6
Bench seat left (mm) CL lounge	1850 / 915	1850 / 915
Bench seat right (mm)	1360 / 650	1360 / 650
Dinette	1960 / 920	1960 / 920
Rear bed (mm)	2000 / 1570	2000 / 1570
Fold-down bed dimensions (optional, mm)	2080 / 1440	2080 / 1440
Height above fold-down bed (mm)	860	860
Rear flap H / W (mm)	1510 / 1760	1510 / 1760

For more information on dimensions and weights, see page 22.




# Technical specifications


## LINER PLUS 1150 GMINI




CL lounge



Bar version



Mini Cooper SD




Lounge

Base vehicle	MAN TGM	MB Atego
Chassis type	15.290	1530 L
Engine	6 cylinder/Euro 5/6	6 cylinder/Euro 6
Engine capacity	6.9 l	7.7 l
Output	213 kW (290 bhp)	220 kW (299 bhp)
Torque	1150 Nm	1200 Nm
Overall length (mm)	11600	11600
Overall width (mm)	2490	2490
Overall height (mm)	3720	3750
Wheelbase (mm)	5875	5960
Maximum permissible laden weight (kg)	15000	15000
Mass in roadworthy condition (kg)	9600	9370
Payload (kg)	5400	5630
Towbar load (braked) in kg	3000	3000
Seats with three-point seatbelts in multi-function / CL lounge / bar version	5 / 6 / 6	5 / 6 / 6
Bench seat left (mm)	1850 / 915	1850 / 915
Bench seat right (mm)	1360 / 650	1360 / 650
Dinette	1960 / 920	1960 / 920
Rear bed (mm)	2000 / 1570	2000 / 1570
Fold-down bed dimensions (optional, mm)	2080 / 1440	2080 / 1440
Height above fold-down bed (mm)	860	860
Rear flap H / W (mm)	1510 / 1760	1510 / 1760


For more information on dimensions and weights, see page 22.

# Technical specifications


## LINER PLUS 1165 Q



CL lounge



Bar version



Lounge

Base vehicle	MAN TGM	MB Atego
Chassis type	15.290	1530L
Engine	6 cylinder/Euro 5/6	6 cylinder/Euro 6
Engine capacity	6.9 l	7.7 l
Output	213 kW (290 bhp)	220 kW (299 bhp)
Torque	1150 Nm	1200 Nm
Overall length (mm)	11640	11640
Overall width (mm)	2490	2490
Overall height (mm)	3720	3750
Wheelbase (mm)	5875	5960
Maximum permissible laden weight (kg)	15000	15000
Mass in roadworthy condition (kg)	9740	9490
Payload (kg)	5260	5510
Towbar load (braked) in kg	3000	3000
Seats with three-point seatbelts in multi-function / CL lounge / bar version	5 / 6 / 6	5 / 6 / 6
Bench seat left (mm)	1850 / 915	1850 / 915
Bench seat right (mm)	1360 / 650	1360 / 650
Dinette	1960 / 920	1960 / 920
Rear bed (mm)	2000 / 1570	2000 / 1570
Fold-down bed dimensions (optional, mm)	2080 / 1440	2080 / 1440
Height above fold-down bed (mm)	860	860
Garage door right H / W (mm)	1250 / 1150	1250 / 1150

For more information on dimensions and weights, see page 22.

# Optional extras chassis

## CHASSIS MAN

ADDITIONAL WEIGHT

in kg

Towbar coupling with 3500 kg towbar load (3000 kg above 10 t) (only available factory-fitted)	29
Hydraulic stabiliser jack system with automatic levelling	139
17.5" alloy wheel rims with standard tyres (MAN TGL)	-56
19.5" alloy wheel rims with standard tyres (MAN TGM)	-60
ESP (only in conjunction with Euro 6)	1
Concorde leather-covered steering wheel	1
Concorde multi-function leather-covered steering wheel (only for operating navigation system incl. hands-free equipment)	3
Engine variant 8.250 (6 cylinder, 6.9 l, 184/250 kW/bhp, 1000 Nm, towbar load 3000 kg) available for: 940 M, 940 LS	435
Pneumatic suspension on front axle (MAN TGM 15 t)	90
<b>Chassis variant 12000 kg</b>	
MAN TGL 12.250 TipMatic (6 cylinder, 6.9 l, 184/250 kW/bhp, 1000 Nm, towbar load 3000 kg) instead of 8.220	650
<b>Chassis variant 15000 kg</b>	
MAN TGM 15.290 (6 cylinder, 6.9 l, 213/290 kW/bhp, 1150 Nm, height 3700 mm, wheelbase 5075) instead of 12.250 available for: 995 M, 990 L, 990 G, 1090 MS	1,080

## CHASSIS MB ATEGO

Towbar coupling with 3000 kg towbar load (only available factory-fitted)	29
Hydraulic stabiliser jack system with automatic levelling	139
6.75 x 19.5" Daewoo alloy wheel rims with standard tyres (MB Atego 12 t)	-60
7.5 x 19.5" Alcona Dura bright alloy wheel rims with standard tyres (MB Atego 15 t)	-60
Original multi-function leather steering wheel with real chrome look <sup>1</sup> (multi-function only in conjunction with MB radio and/or navigation)	1
Pneumatic suspension on front axle (MB Atego 12 t/15 t)	90
Permanent Magnet Retarder	39
Engine variant 924 (6 cylinder, 7.2 l, 175/238 kW/bhp, 1000 Nm)	180
<b>Chassis variant 12000 kg</b>	
1230 L (6 cylinder, 7.7 l, 220/299 kW/bhp, 1200 Nm, height 3740 mm, wheelbase 4760 mm, towbar load 3000 kg) instead of 923 L	900
<b>Chassis variant 15000 kg</b>	
1530 L (6 cylinder, 7.7 l, 220/299 kW/bhp, 1200 Nm, height 3750 mm, wheelbase 5060 mm) instead of 1230 L available for: 995 M, 990 L, 990 G, 1090 MS	90

<sup>1</sup> Multi-function only in conjunction with original Mercedes radio and/or navigation.

# Optional extras body

## BODY

ADDITIONAL WEIGHT  
in kg

Electric 2 x 4 m roof awning, from 1060	84
Electric 5.5 m roof awning (940 LS / M)	58
Electric 6.0 m roof awning (990 G / L, 995 M)	66
Rear garage floor with aluminium ribbed plate covering	20
Central locking for storage compartment flaps (without skirting-panel flaps and gas storage door and toilet compartment)	5

## LIVING ROOM / SLEEPING AREA

CL lounge with side couch	24
Bar version with adjustable individual seat and multi-function bench	46
Mechanically-operated fold-down bed with sprung base instead of front wall cupboards	45
Electrically-operated fold-down bed with sprung base instead of front wall cupboards	53
Height-adjustable living room table with cushions (not in bar version)	8
Midi-Heki instead of Mini-Heki(sleeping area)	6
Panorama skylight instead of Mini-Heki (sleeping area)	19
Heated luxury comfort seats instead of swivel seats, with side contour and shoulder adjustment (only for leather fittings)	10
Massage seat instead of living room bar seat for bar version, unheated (only in combination with luxury comfort seat)	5

## KITCHEN

Stainless-steel microwave with grill function under hob, 230 V operation via external connection, 26 l oven (not in conjunction with dishwasher)	22
Dishwasher under hob (not in conjunction with microwave)	25

# Optional extras body

## ELECTRICAL

ADDITIONAL WEIGHT  
in kg

	ADDITIONAL WEIGHT in kg
<b>Electrical power package</b>	
1 x additional gel battery 165 Ah (total of 3 batteries) 100 A combination charger, sinus inverter from 12 V to 230 V, 5000 W peak and 2500 W continuous output with mains failure compensation	60
Alarm system with monitoring of the interior, the garage door and of the living-room door	3
Built-in 2600 W gas generator (only in conjunction with gas tank)	50
Dual reversing camera with shutter (image via standard radio)	4
Solar unit with approx. 120 W maximum output	15
Solar unit with approx. 2 x 120 W maximum output	30

## TV / RADIO / TELEPHONE

Satellite TV set with 85 cm dish, fully-automatic alignment, multi-user equipment with TWIN LNB, connection for second receiver with 12 V / 230 V and antenna socket in sleeping area, sound reproduction via radio (overall vehicle height plus approx. 100 mm):	
Satellite TV set 1 with 24" LED flat screen in entrance area	38
Satellite TV set 2 with 24" LED flat screen in right overhead cupboard, electrically height-adjustable	45
Satellite TV set 3 with 24" LED flat screen in overhead cupboard above windscreen, electrically height-adjustable (not in conjunction with fold-down bed)	45
Internet satellite TV set with 24" LED flat screen in entrance area, system with TV reception function, GPS SKEW and Internet access	38
Navigation system (with lorry software and 7" touch screen, integrated radio with DVD, CD and MP3 playback, hands-free device for telephone with Bluetooth) and dual reversing camera with shutter	4
Sound system with three-way speaker in driver's compartment, vehicle-specific frequency crossover, two-way speaker in living room, double-bass reflex subwoofer, sound processor	25
22" LED flat-screen for rear sleeping area with integrated TV tuner	15
Combination 230 V / 12 V / antenna / socket with floor inlet, position: in external storage compartment on the left next to body door (for optional external TV connection) (sat. output)	1
DVB-T antenna for reception of terrestrial digital TV	2

# Optional extras body

## WATER / GAS / HEATING / BATHROOM

ADDITIONAL WEIGHT

in kg

External shower in the garage (driver's side)		2
"Motor Caravan" diesel block heater with convenient permanent heating function (5200 W) incl. timer		10
Gas alarm for monitoring living room (carbon monoxide, propane, butane, stupefying gas, KO gas)		2
Approx. 120 l gas tank with remote gas switch, crash sensor and level indicator on control panel display, incl. skirting-panel flap		104
External wall gas socket on passenger side (gas extraction)		1
Roof air-conditioning 2400 W with 1700 W heating element (overall vehicle height plus 130 mm)		34
2400 W air conditioning for living room with infrared remote control (fitted in raised floor)		37
2 x 2400 W air conditioning units for living room and sleeping area / bathroom with infrared remote control (fitted in raised floor) (only from model 990)		74
Porcelain cassette toilet incl. SOG toilet roof ventilation (instead of toilet with fixed tank)	no surcharge	-15
Additional toilet cassette with holding tray		3

## UPHOLSTERY MATERIALS / LEATHER / CARPET

Corrugated effect microfibre upholstery, sandstone	as standard	0
Corrugated effect microfibre upholstery, cappuccino	as standard	0
Corrugated effect leather upholstery, sandstone		25
Corrugated effect leather upholstery, mother of pearl		25
Corrugated effect leather upholstery, Tortora		25
Corrugated effect leather upholstery, stone grey		25
Exclusive corrugated effect leather upholstery, natural rustic, grigio (natural material with visual inlays or different surface looks possible)		25
Kitchen dinette leather upholstery, (only in conjunction with leather upholstery)		15
Concorde collection: 2 x small scatter cushions, 1 x large scatter cushion, 2 x cosy blankets		8
Soft-walk floor covering. Colour: dark brown	no surcharge	0
Living room carpet linked and removable. Colour: creme		10
Living room carpet linked and removable. Colour: grey-brown		10
Living room carpet linked and removable. Colour: beige (high pile)		10


Concorde only uses high-quality materials and leather with a special dirt-repellent coating.

The mass in roadworthy condition consists of: driver (75 kg), full fuel tank, 100 l fresh water in driving position, 1 x full 11 kg steel gas bottle, tool kit and spare wheel. Installing optional extras and accessories may alter the unladen weight and dimensions. All dimensions and weights correspond to the information available at the time of printing. Deviations of +/- 5% are possible and permitted.

# Sectional drawing

## CONCORDE LINER PLUS CABIN CONSTRUCTION

Concorde represents perfect insulation and outstanding stability in motorhome construction. This is primarily due to the thermal-bridge-free, fully bonded Solidtherm cabin construction with PU hard foam strips as well as the insulation of the side walls with 38 millimetre thick RTM foam. But that's not all: The underfloors and intermediate floors are also made in a sandwich construction and fitted with a total of 70 millimetres of insulation. Furthermore, the side skirts, bumpers and front and rear sections are made of robust yet flexible fibreglass compound material. The high-gloss, completely smooth, aluminium sandwich wall panels create a car-like appearance and, so that this remains in the long term, aluminium roof profile strips with rain channels efficiently reduce soiling of the side walls. A 10-year ingress warranty on the body against the ingress of moisture from the outside with annual inspection in accordance with the Concorde warranty conditions.



Technical modifications reserved provided that the overall product quality remains the same or is improved and the intended purpose is not impaired. On publication of this technical information, all previous are rendered invalid. Subject to change without notice, errors excepted.

# ***Concorde***

REISEMOBILE AUS LEIDENSCHAFT

Concorde Reisemobile GmbH  
Concorde-Straße 2-4, D-96132 Schlüsselfeld-Aschbach  
Tel.: +49 (0) 9555 9225-0, Fax: +49 (0) 9555 9225-44  
Web: [www.concorde.eu](http://www.concorde.eu), E-Mail: [info@concorde.eu](mailto:info@concorde.eu)